Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S5	0	correlation near calculator and decider and generator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 16:39
S6	587	correlation near2 calculator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 16:39
57	2	S6 and decider and generator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 16:43
S8	9775	correlation near value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 16:43
59	6342	symbol near rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 16:43
S10	16	S8 with 59	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 16:44
511	6354	spread\$3 near process\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 16:44
512	9003	spread\$3 near code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 16:44

Search History 12/20/2004 2:38:49 PM Page 1 C:\Documents and Settings\\wong\My Documents\EAST\Workspaces\09936731_1.wsp

530	794	S28 and correlation near value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 19:05
531	22	S30 and symbol near rate and plurality with correlation	US-PGPU8; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 19:05
532	16	S31 and spread\$3 near code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 19:05
S33	1482	correlation near value near calculat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:04
534	352	S33 and plurality with correlation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:04
S35	14	S34 and symbol near rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:05
\$36	2783	replica near signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:06
S37	9655	reduce near2 delay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:06

514	2	correlation near value\$2 and decid\$3 with symbol near rate and spread\$3 near code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 16:50
\$15	20	correlation and decider and spread\$3 near code	US-PGPU8; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 17:5
520	1083	plural\$3 near correlation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 17:5
522	4019	spread near code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 18:5
S24	5	\$23 and plurality with correlation near value\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 18:5
S25	8	symbol and S6 and S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 19:0
S28	64512	mobile near communication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 19:0
S29	44329	mobile near station	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 19:0

Search History 12/20/2004 2:38:49 PM Page 2 C:\Documents and Settings\wong\My Documents\EAST\Workspaces\09936731_1.wsp

538	1751	Improve near recelv\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:07
539	2854	radio near recelv\$3 near apparatus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:07
540	1	S36 and S37 and S38 and S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:07
S41	32	S36 and S37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:11
542	5 44	generat\$3 near2 replica near signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:12
S43	587	correlation near2 calculator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:12
544	715	plurality with correlation near value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:12
S45	1	S42 and S43 and S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:12

C-14		Tala				
546	3	S42 and 543	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:13
547	1095	calculate near4 correlation	USPAT	OR	OFF	2004/12/13 15:45
548	238	(decide with symbol rate) and (plural with correlation)	USPAT	OR	OFF	2004/12/13 15:45
560	9	choose with (symbol near rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 15:58
S62	0	S61 and replica near signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 15:59
563	2784	replica near signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 15:59
564	821	correlation near4 calculator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 15:59
S69	136	multiple with (correlation near value\$2)	USPAT	OR	OFF	2004/12/13 16:13
570	16	S69 and symbol near rate	USPAT	OR	OFF	2004/12/13 16:19
S71	10494	spread near spectrum	USPAT	OR	OFF	2004/12/13 16:19
S72	7656	interference near signal	USPAT	OR	OFF	2004/12/13 16:19
S73	450	cancel\$3 near apparatus	USPAT	OR	OFF	2004/12/13 16:19
574	11	S71 and S72 and S73	USPAT	OR	OFF	2004/12/13 16:26
S75	956	interference near cancel\$3	USPAT	OR	OFF	2004/12/13 16:26
S76	54	S75 and replica near signal	USPAT	OR	OFF	2004/12/13 16:27
S77	11	576 and symbol near rate	USPAT	OR	OFF	2004/12/13 16:50
S78	1019567	compar\$3 near symbol rate	USPAT	OR	OFF	2004/12/13 16:51
579	0	compare near despread near result\$2	USPAT	OR	OFF	2004/12/13 16:51
580	3	compare near correlation near value	USPAT	OR	OFF	2004/12/13 16:51

Search History 12/20/2004 2:38:49 PM Page 5 C:\Documents and Settings\wang\My Documents\EAST\Workspaces\09936731_1.wsp

S11 4	2115	spread\$3 near factor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 17:54
511 5	328	S114 and symbol near rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 17:54
S11 6	53	S114 with correlation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 17:55
\$11 7	19	S116 and symbol near rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 17:56
S11 8	1	S116 and (different or variable or specifi\$3 or change) near symbol near rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 17:56
511 9	1	S116 and (different or variable or specifi\$3 or multiple) near symbol near rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 17:57
S12 0	4	S116 and (different or variable or specifi\$3 or multiple) with symbol near rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 17:57
S12 2	0	(correlat\$4 with ((multiple or many or plural) near user)) same ((multiple or plural or many) near symbol near rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:02

S81	135	compare\$2 near correlat\$3 near value\$2	USPAT	OR	OFF	2004/12/13 16:52
582	3643	symbol near rate	USPAT	OR	OFF	2004/12/13 16:52
S83	1984	despread	USPAT	OR	OFF	2004/12/13 16:52
\$85	0	correlation near calculator and candidate\$2 and symbol near rate\$2 and receive\$2 near signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 17:11
S86	0	correlation near calculator and candidate\$2 and symbol near rate\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 17:11
S87	0	correlat near calculator and candidate\$2 and symbol near rate\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 17:11
S88	0	correlat\$3 near calculator and candidate\$2 and symbol near rate\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 17:12
589	1	correlat\$3 near3 calculator and candidate\$2 and symbol near rate\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 17:12
590	1	correlat\$3 near3 calculator and specif\$3 near symbol near rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 17:24
591	244	multiple near symbol near rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 17:25
S92	582	multiple with symbol near rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 17:25

Search History 12/20/2004 2:38:49 PM Page 6 C:\Documents and Settings\wong\My Documents\EAST\Workspaces\09936731_1.wsp

S12 3	0	((correlat\$4 or match) with ((multiple or many or plural) near user)) same ((multiple or plural or many) near symbol near rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:02
512 4	0	(correlat\$4 or match) with ((multiple or many or plural) near (user\$2 or candidate\$2))) same ((multiple or plural or many) near symbol near rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:03
S13 5	15	spread near spectrum and (correlate or match) with (symbol near rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 16:20
S13 6	9791	correlation near value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TD8	OR	OFF	2004/12/15 16:20
S13 8	49	(S136) same symbol near rate\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 16:21
513 9	0	(\$136) same transimission near rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 16:21
S14 0	21	(\$136) same (transmission near rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 16:37
S14 4	0	(match near filter) with (correlation and symbol near rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 16:42

	,		,			
S14 5	15	(match near filter) with (match and symbol near rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 16:42
514 6	15	(match near filter) with ((match or correlat\$3) and symbol near rate\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TOB	OR	OFF	2004/12/15 16:45
514 7	0	(match near filter) with ((match or correlat\$3) and symbol near rates)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 16:45
S14 9		select with symbol near rates	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 16:50
S15 0	0	(Interference or noise or disturbance) same (cancel or eliminate) and (symbol near rates near (generate or calculate or correlate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 16:52
\$15 1	1213	mobile near system and (many or multiple or plural) near (users or reclevers or inputs)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 16:54
S17 6	2	(correlation near values) same (symbol near rates) and (select or decide or choose)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 18:43
S18 0	7	Interference and replica near signal and symbol near rates and correlation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 10:33

Search History 12/20/2004 2:38:49 PM Page 9 C:\Documents and Settings\wong\My Documents\EAST\Workspaces\09936731_1.wsp

520	0	receive near signal with combine	US-PGPUB:	OR	OFF	2004/12/16 15:29
4		with symbol near rate\$2 and interference	USPAT; USOCR; EPO; DERWENT; IBM_TDB	UR .	OFF	2004/12/10 15:29
S20 5	1	receive near signal with combine with symbol and interference	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:31
520 6	0	receive near signal with combine with (multiple or many or plural or several) with symbol and interference	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:30
\$20 7	0	receive near signal with combine with (multiple or many or plural or several or different) with symbol and interference	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:30
520 8	0	receive near signal with transmission near rates with symbol and interference	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:31
S20 9	2	receive near signal with transmission near rates and interference	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:44
S21 0	11	receive near signal with transmission near rate\$2 and interference	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:48
S21 2	1	receive near signal with transmission near rate\$2 and (select or calculate or choose or decide) with maximum with transmission near rate and interference	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 16:01

518 1	9	Interference and symbol near rates with correlat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 11:43
518 2	5	Interference and symbol near rates with (decide or select or choose and correlat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 11:46
S18 3	0	Interference and symbol near rates with (correlat\$3 and select)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR '	OFF	2004/12/16 11:47
\$18 4	33	interference and (plural\$3 or multiple or many) with correlation near values and symbol near rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 11:57
\$18 7	1	interference and (plural\$3 or multiple or many) with symbol near rates with (select or decide or choose)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:01
S18 8	3	interference and (plural\$3 or multiple or many) with correlat\$3 with symbol near rates	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:21
S19 3	0	calculate with correlation with symbol near rates	USPAT	OR	OFF	2004/12/16 14:24
S19 4	6	calculate\$2 with correlat\$3 with symbol near rate\$2	USPAT	OR	OFF	2004/12/16 14:34
519 5	117	correlation with per with symbol	USPAT	OR	OFF	2004/12/16 14:34
S19 6	14	correlation near value with per with symbol	USPAT	OR	OFF	2004/12/16 15:11
S19 8	0	match near filter with symbol near rates	USPAT -	OR	OFF	2004/12/16 15:11
S20 0	1	RAKE with symbol near rates	USPAT	OR	OFF	2004/12/16 15:13

Search History 12/20/2004 2:38:49 PM Page 10 C:\Documents and Settings\wong\My Documents\EAST\Workspaces\09936731_1.wsp

S21 3	0	"value per symbol" with transmission near rate with calculat\$2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 16:01
S21 4	0	"value per symbol" with transmission near rate with calculat\$2 and interference	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 16:59
S21 5	· 1	despread with symbol near rates with (choose or decide or select) with value	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TD8	OR	OFF	2004/12/16 17:00
S21 6		despread with symbol near rate\$3 with receive near signal	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 17:01
521 7	1	despread\$3 with symbol near rate\$3 with receive near signal	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 17:58
S21 8	0	spread near code\$2 with (relate or correspond or associate) with symbol near rate\$2 and interference	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 18:00
521 9	0	spread near code\$2 with (relate or correspond or associate) with symbol near rate\$2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 18:00
S22 0	0	spread near (code\$2 or factor\$2) with (relate or correspond or associate) with symbol near rate\$2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 18:01

S22 1	9	spread near (code\$2 or factor\$2) and (relate or correspond or associate) with symbol near rate\$2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 18:01
----------	---	---	--	----	-----	------------------

Search History 12/20/2004 2:38:49 PM Page 13 C:\Documents and Settings\wang\My Documents\EAST\Workspaces\09936731_1.wsp